



**APPENDIX OF PENDING CLAIMS
after Entry of Amendments**

22. An isolated polynucleotide comprising at least 15 contiguous nucleotides of a nucleotide sequence having at least 90% sequence identity to a sequence selected from the group consisting of: SEQ ID NO:65, a degenerate variant of SEQ ID NO:65, and a complement of SEQ ID NO:65.

23. An isolated polynucleotide which hybridizes under stringent conditions to a polynucleotide sequence of the polynucleotide of claim 22.

24. An isolated antisense nucleic acid molecule comprising at least 15 contiguous nucleotides of the polynucleotide of claim 22.

25. A polynucleotide comprising the nucleotide sequence of an insert contained in a clone deposited as clone number M00001679D:D05 of ATCC Deposit Number 207068.

26. An isolated recombinant host cell containing the polynucleotide of claim 22.

27. An isolated vector comprising the polynucleotide of claim 22.

28. An isolated polypeptide encoded by the polynucleotide of claim 22.

29. A method for producing a polypeptide, the method comprising the steps of:
culturing a recombinant host cell containing the polynucleotide of claim 22 under conditions suitable for the expression of an encoded polypeptide;
recovering the polypeptide from the host cell culture.

30. A method for detecting a gene product, wherein the gene product exhibits increased expression in a cancerous mammalian cell relative to a control cell, the method comprising the step of
detecting a level of gene product expression in a test sample from a test mammalian cell, wherein the gene product is encoded by a polynucleotide comprising a sequence of the polynucleotide of claim 22;

RECEIVED

SEP 20 2000

Atty Dkt. No.: 1481-002

USSN: 09/297,648

TECH CENTER 1600/2900

and

comparing the gene product expression level with an expression level of the gene product in a control sample from a control mammalian cell;

wherein detection of the gene product at a level that is increased in the test sample compared to the control sample cell indicates that the test cell is cancerous.

31. An isolated polynucleotide comprising at least 15 contiguous nucleotides of a nucleotide sequence having at least 90% sequence identity to a sequence selected from the group consisting of: SEQ ID NO:253, a degenerate variant of SEQ ID NO:253, and a complement of SEQ ID NO:253.

32. An isolated polynucleotide which hybridizes under stringent conditions to a polynucleotide sequence of the polynucleotide of claim 31.

33. An isolated antisense nucleic acid molecule comprising at least 15 contiguous nucleotides of the polynucleotide of claim 31.

34. A polynucleotide comprising the nucleotide sequence of an insert contained in a clone deposited as clone number M00001448D:C09 of ATCC Deposit Number 207068.

35. An isolated recombinant host cell containing the polynucleotide of claim 31.

36. An isolated vector comprising the polynucleotide of claim 31.

37. An isolated polypeptide encoded by the polynucleotide of claim 31.

38. A method for producing a polypeptide, the method comprising the steps of:
culturing a recombinant host cell containing the polynucleotide of claim 31 under conditions suitable for the expression of an encoded polypeptide;
recovering the polypeptide from the host cell culture.

39. A method for detecting a gene product, wherein the gene product exhibits increased expression in a cancerous mammalian cell relative to a control cell, the method comprising the step of detecting a level of gene product expression in a test sample from a test mammalian cell, wherein the gene product is encoded by a polynucleotide comprising a sequence of the polynucleotide of claim 31; and

comparing the gene product expression level with an expression level of the gene product in a control sample from a control mammalian cell;

wherein detection of the gene product at a level that is increased in the test sample compared to the control sample cell indicates that the test cell is cancerous.

40. An isolated polynucleotide comprising at least 15 contiguous nucleotides of a nucleotide sequence having at least 90% sequence identity to a sequence selected from the group consisting of: SEQ ID NO:329, a degenerate variant of SEQ ID NO:329, and a complement of SEQ ID NO:329.

41. An isolated polynucleotide which hybridizes under stringent conditions to a polynucleotide sequence of the polynucleotide of claim 40.

42. An isolated antisense nucleic acid molecule comprising at least 15 contiguous nucleotides of the polynucleotide of claim 40.

43. A polynucleotide comprising the nucleotide sequence of an insert contained in a clone deposited as clone number M00001616C:F07 of ATCC Deposit Number 207064.

44. An isolated recombinant host cell containing the polynucleotide of claim 40.

45. An isolated vector comprising the polynucleotide of claim 40.

46. An isolated polypeptide encoded by the polynucleotide of claim 40.

47. A method for producing a polypeptide, the method comprising the steps of:

culturing a recombinant host cell containing the polynucleotide of claim 40 under conditions suitable for the expression of an encoded polypeptide;
recovering the polypeptide from the host cell culture.

48. A method for detecting a gene product, wherein the gene product exhibits increased expression in a cancerous mammalian cell relative to a control cell, the method comprising the step of
detecting a level of gene product expression in a test sample from a test mammalian cell, wherein the gene product is encoded by a polynucleotide comprising a sequence of the polynucleotide of claim 40;
and

comparing the gene product expression level with an expression level of the gene product in a control sample from a control mammalian cell;

wherein detection of the gene product at a level that is increased in the test sample compared to the control sample cell indicates that the test cell is cancerous.

49. An isolated polynucleotide comprising at least 15 contiguous nucleotides of a nucleotide sequence having at least 90% sequence identity to a sequence selected from the group consisting of: SEQ ID NO:739, a degenerate variant of SEQ ID NO:739, and a complement of SEQ ID NO:739.

50. An isolated polynucleotide which hybridizes under stringent conditions to a polynucleotide sequence of the polynucleotide of claim 49.

51. An isolated antisense nucleic acid molecule comprising at least 15 contiguous nucleotides of the polynucleotide of claim 49.

52. A polynucleotide comprising the nucleotide sequence of an insert contained in a clone deposited as clone number M00001460C:H02 of ATCC Deposit Number 207075.

53. An isolated recombinant host cell containing the polynucleotide of claim 49.

54. An isolated vector comprising the polynucleotide of claim 49.

55. An isolated polypeptide encoded by the polynucleotide of claim 49.
56. A method for producing a polypeptide, the method comprising the steps of:
culturing a recombinant host cell containing the polynucleotide of claim 49 under conditions suitable for the expression of an encoded polypeptide;
recovering the polypeptide from the host cell culture.
57. A method for detecting a gene product, wherein the gene product exhibits increased expression in a cancerous mammalian cell relative to a control cell, the method comprising the step of
detecting a level of gene product expression in a test sample from a test mammalian cell, wherein the gene product is encoded by a polynucleotide comprising a sequence of the polynucleotide of claim 49;
and
comparing the gene product expression level with an expression level of the gene product in a control sample from a control mammalian cell;
wherein detection of the gene product at a level that is increased in the test sample compared to the control sample cell indicates that the test cell is cancerous.
58. An isolated polynucleotide comprising at least 15 contiguous nucleotides of a nucleotide sequence having at least 90% sequence identity to a sequence selected from the group consisting of: SEQ ID NO:1186, a degenerate variant of SEQ ID NO:1186, and a complement of SEQ ID NO:1186.
59. An isolated polynucleotide which hybridizes under stringent conditions to a polynucleotide sequence of the polynucleotide of claim 58.
60. An isolated antisense nucleic acid molecule comprising at least 15 contiguous nucleotides of the polynucleotide of claim 58.
61. A polynucleotide comprising the nucleotide sequence of an insert contained in a clone deposited as clone number M00001578C:G06 of ATCC Deposit Number 207065.

62. An isolated recombinant host cell containing the polynucleotide of claim 58.
63. An isolated vector comprising the polynucleotide of claim 58.
64. An isolated polypeptide encoded by the polynucleotide of claim 58.
65. A method for producing a polypeptide, the method comprising the steps of:
culturing a recombinant host cell containing the polynucleotide of claim 58 under conditions suitable for the expression of an encoded polypeptide;
recovering the polypeptide from the host cell culture.
66. A method for detecting a gene product, wherein the gene product exhibits increased expression in a cancerous mammalian cell relative to a control cell, the method comprising the step of
detecting a level of gene product expression in a test sample from a test mammalian cell, wherein the gene product is encoded by a polynucleotide comprising a sequence of the polynucleotide of claim 58;
and
comparing the gene product expression level with an expression level of the gene product in a control sample from a control mammalian cell;
wherein detection of the gene product at a level that is increased in the test sample compared to the control sample cell indicates that the test cell is cancerous.
67. An isolated polynucleotide comprising at least 15 contiguous nucleotides of a nucleotide sequence having at least 90% sequence identity to a sequence selected from the group consisting of: SEQ ID NO:1780; a degenerate variant of SEQ ID NO:1780, and a complement of SEQ ID NO:1780.
68. An isolated polynucleotide which hybridizes under stringent conditions to a polynucleotide sequence of the polynucleotide of claim 67.

69. An isolated antisense nucleic acid molecule comprising at least 15 contiguous nucleotides of the polynucleotide of claim 67.

70. A polynucleotide comprising the nucleotide sequence of an insert contained in a clone deposited as clone number M00001450A:B03 of ATCC Deposit Number 207071.

71. An isolated recombinant host cell containing the polynucleotide of claim 67.

72. An isolated vector comprising the polynucleotide of claim 67.

73. An isolated polypeptide encoded by the polynucleotide of claim 67.

74. A method for producing a polypeptide, the method comprising the steps of:
culturing a recombinant host cell containing the polynucleotide of claim 67 under conditions suitable for the expression of an encoded polypeptide;
recovering the polypeptide from the host cell culture.

75. A method for detecting a gene product, wherein the gene product exhibits increased expression in a cancerous mammalian cell relative to a control cell, the method comprising the step of
detecting a level of gene product expression in a test sample from a test mammalian cell, wherein the gene product is encoded by a polynucleotide comprising a sequence of the polynucleotide of claim 67;
and

comparing the gene product expression level with an expression level of the gene product in a control sample from a control mammalian cell;

wherein detection of the gene product at a level that is increased in the test sample compared to the control sample cell indicates that the test cell is cancerous.

76. An isolated polynucleotide comprising at least 15 contiguous nucleotides of a nucleotide sequence having at least 90% sequence identity to a sequence selected from the group consisting of: SEQ ID NO:1899, a degenerate variant of SEQ ID NO:1899, and a complement of SEQ ID NO:1899.

77. An isolated polynucleotide which hybridizes under stringent conditions to a polynucleotide sequence of the polynucleotide of claim 76.

78. An isolated antisense nucleic acid molecule comprising at least 15 contiguous nucleotides of the polynucleotide of claim 76.

79. A polynucleotide comprising the nucleotide sequence of an insert contained in a clone deposited as clone number M00001451B:F01 of ATCC Deposit Number 207071.

80. An isolated recombinant host cell containing the polynucleotide of claim 76.

81. An isolated vector comprising the polynucleotide of claim 76.

82. An isolated polypeptide encoded by the polynucleotide of claim 76.

83. A method for producing a polypeptide, the method comprising the steps of:
culturing a recombinant host cell containing the polynucleotide of claim 76 under conditions suitable for the expression of an encoded polypeptide;
recovering the polypeptide from the host cell culture.

84. method for detecting a gene product, wherein the gene product exhibits increased expression in a cancerous mammalian cell relative to a control cell, the method comprising the step of
detecting a level of gene product expression in a test sample from a test mammalian cell, wherein the gene product is encoded by a polynucleotide comprising a sequence of the polynucleotide of claim 76;
and

comparing the gene product expression level with an expression level of the gene product in a control sample from a control mammalian cell;

wherein detection of the gene product at a level that is increased in the test sample compared to the control sample cell indicates that the test cell is cancerous.

85. An isolated polynucleotide comprising at least 15 contiguous nucleotides of a nucleotide sequence having at least 90% sequence identity to a sequence selected from the group consisting of: SEQ ID NO:1938, a degenerate variant of SEQ ID NO:1938, and a complement of SEQ ID NO:1938.

86. An isolated polynucleotide which hybridizes under stringent conditions to a polynucleotide sequence of the polynucleotide of claim 85.

87. An isolated antisense nucleic acid molecule comprising at least 15 contiguous nucleotides of the polynucleotide of claim 85.

88. A polynucleotide comprising the nucleotide sequence of an insert contained in a clone deposited as clone number M00003879D:A08 of ATCC Deposit Number 207066.

89. An isolated recombinant host cell containing the polynucleotide of claim 85.

90. An isolated vector comprising the polynucleotide of claim 85.

91. An isolated polypeptide encoded by the polynucleotide of claim 85.

92. A method for producing a polypeptide, the method comprising the steps of:
culturing a recombinant host cell containing the polynucleotide of claim 85 under conditions suitable for the expression of an encoded polypeptide;
recovering the polypeptide from the host cell culture.

93. A method for detecting a gene product, wherein the gene product exhibits increased expression in a cancerous mammalian cell relative to a control cell, the method comprising the step of
detecting a level of gene product expression in a test sample from a test mammalian cell, wherein the gene product is encoded by a polynucleotide comprising a sequence of the polynucleotide of claim 85;
and

comparing the gene product expression level with an expression level of the gene product in a control sample from a control mammalian cell;

wherein detection of the gene product at a level that is increased in the test sample compared to the control sample cell indicates that the test cell is cancerous.

94. An isolated polynucleotide comprising at least 15 contiguous nucleotides of a nucleotide sequence having at least 90% sequence identity to a sequence selected from the group consisting of: SEQ ID NO:1998, a degenerate variant of SEQ ID NO:1998, and a complement of SEQ ID NO:1998.

95. An isolated polynucleotide which hybridizes under stringent conditions to a polynucleotide sequence of the polynucleotide of claim 94.

96. An isolated antisense nucleic acid molecule comprising at least 15 contiguous nucleotides of the polynucleotide of claim 94.

97. A polynucleotide comprising the nucleotide sequence of an insert contained in a clone deposited as clone number M00001630D:H10 of ATCC Deposit Number 207065.

98. An isolated recombinant host cell containing the polynucleotide of claim 94.

99. An isolated vector comprising the polynucleotide of claim 94.

100. An isolated polypeptide encoded by the polynucleotide of claim 94.

101. A method for producing a polypeptide, the method comprising the steps of:
culturing a recombinant host cell containing the polynucleotide of claim 94 under conditions suitable for the expression of an encoded polypeptide;
recovering the polypeptide from the host cell culture.

102. A method for detecting a gene product, wherein the gene product exhibits increased

expression in a cancerous mammalian cell relative to a control cell, the method comprising the step of detecting a level of gene product expression in a test sample from a test mammalian cell, wherein the gene product is encoded by a polynucleotide comprising a sequence of the polynucleotide of claim 94; and

comparing the gene product expression level with an expression level of the gene product in a control sample from a control mammalian cell;

wherein detection of the gene product at a level that is increased in the test sample compared to the control sample cell indicates that the test cell is cancerous.

103. An isolated polynucleotide comprising at least 15 contiguous nucleotides of a nucleotide sequence having at least 90% sequence identity to a sequence selected from the group consisting of: SEQ ID NO:2007, a degenerate variant of SEQ ID NO:2007, and a complement of SEQ ID NO:2007.

104. An isolated polynucleotide which hybridizes under stringent conditions to a polynucleotide sequence of the polynucleotide of claim 103.

105. An isolated antisense nucleic acid molecule comprising at least 15 contiguous nucleotides of the polynucleotide of claim 103.

106. A polynucleotide comprising the nucleotide sequence of an insert contained in a clone deposited as clone number M00001639A:C11 of ATCC Deposit Number 207065.

107. An isolated recombinant host cell containing the polynucleotide of claim 103.

108. An isolated vector comprising the polynucleotide of claim 103.

109. An isolated polypeptide encoded by the polynucleotide of claim 103.

110. A method for producing a polypeptide, the method comprising the steps of:

culturing a recombinant host cell containing the polynucleotide of claim 103 under conditions suitable for the expression of an encoded polypeptide;
recovering the polypeptide from the host cell culture.

111. A method for detecting a gene product, wherein the gene product exhibits increased expression in a cancerous mammalian cell relative to a control cell, the method comprising the step of
detecting a level of gene product expression in a test sample from a test mammalian cell, wherein the gene product is encoded by a polynucleotide comprising a sequence of the polynucleotide of claim 103;
and
comparing the gene product expression level with an expression level of the gene product in a control sample from a control mammalian cell;
wherein detection of the gene product at a level that is increased in the test sample compared to the control sample cell indicates that the test cell is cancerous.